

OKS 391

Version 1.0

Revision Date 30.06.2016

Print Date 04.07.2016

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : OKS 391

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Lubricant
Recommended restrictions on use : Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

OKS Spezialschmierstoffe GmbH
Ganghoferstr. 47
D-82216 Maisach-Gernlinden
Tel.: +49 8142 3051 500
Fax.: +49 8142 3051 599

E-mail address : mcm@oks-germany.com
Responsible/issuing person

National contact :

1.4 Emergency telephone number

+49 8142 3051 517

2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)


Aerosols, Category 1
H222: Extremely flammable aerosol.
H229: Pressurised container: May burst if heated.

Classification (67/548/EEC, 1999/45/EC)

Extremely flammable
R12: Extremely flammable.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms : 

Signal word : Danger

Hazard statements : H222 Extremely flammable aerosol.
H229 Pressurised container: May burst if heated.

Precautionary statements : **Prevention:**

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



OKS 391

Version 1.0

Revision Date 30.06.2016

Print Date 04.07.2016

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Do not pierce or burn, even after use.
Storage:
P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

2.3 Other hazards

3. Composition/information on ingredients

3.2 Mixtures

Chemical nature : Active substance with propellant
Mineral oil.

Hazardous components

Chemical Name	CAS-No. EC-No. Index-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
baseoil - unspecified	64742-56-9 265-159-2 649-469-00-9	Xn; R65	Asp. Tox. 1; H304	>= 50 - < 70
tris(2-ethylhexyl) phosphate	78-42-2 201-116-6	Xi; R38	Skin Irrit. 2; H315	>= 1 - < 5
Substances with a workplace exposure limit :				
butane	106-97-8 203-448-7 601-004-00-0	F+; R12	Flam. Gas 1; H220 Press. Gas Compr. Gas; H280	>= 20 - < 30
propane	74-98-6 200-827-9 601-003-00-5	F+; R12	Flam. Gas 1; H220 Press. Gas Compr. Gas; H280	>= 1 - < 10

For the full text of the R-phrases mentioned in this Section, see Section 16.

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. First aid measures

4.1 Description of first aid measures

If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.
Keep patient warm and at rest.
If unconscious place in recovery position and seek medical advice.



OKS 391

Version 1.0

Revision Date 30.06.2016

Print Date 04.07.2016

Keep respiratory tract clear.
If breathing is irregular or stopped, administer artificial respiration.

In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with soap and plenty of water.
Get medical attention immediately if irritation develops and persists.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : If eye irritation persists, consult a specialist.
Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.

If swallowed : Keep respiratory tract clear.
Rinse mouth with water.
Move the victim to fresh air.
Get medical attention if symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

Risks : None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
ABC powder

Unsuitable extinguishing media : Do NOT use water jet.

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Fire may cause evolution of:
Carbon oxides
Oxides of phosphorus

: Fire Hazard
Do not let product enter drains.
Contains gas under pressure; may explode if heated.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
In the case of respirable dust and/or fumes, use self-contained



OKS 391

Version 1.0

Revision Date 30.06.2016

Print Date 04.07.2016

breathing apparatus.
Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Cool containers/tanks with water spray.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.
Ensure adequate ventilation.
Remove all sources of ignition.
Do not breathe vapours or spray mist.
Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.
Prevent further leakage or spillage if safe to do so.
Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Keep in suitable, closed containers for disposal.
Non-sparking tools should be used.

6.4 Reference to other sections

For personal protection see section 8.

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Use only in an area containing explosion proof equipment.
Do not use in areas without adequate ventilation.
Do not breathe vapours or spray mist.
In case of insufficient ventilation, wear suitable respiratory equipment.
Avoid contact with skin and eyes.
For personal protection see section 8.
Keep away from fire, sparks and heated surfaces.
Smoking, eating and drinking should be prohibited in the application area.
Wash hands and face before breaks and immediately after handling the product.



OKS 391

Version 1.0

Revision Date 30.06.2016

Print Date 04.07.2016

Do not get in eyes or mouth or on skin.
Do not get on skin or clothing.
Do not ingest.
Do not use sparking tools.
These safety instructions also apply to empty packaging which may still contain product residues.
Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.
Store in accordance with the particular national regulations.

German storage class : 2B Aerosol cans and lighters

7.3 Specific end use(s)

: Consult the technical guidelines for the use of this substance/mixture.

8. Exposure controls/personal protection

8.1 Control parameters

Components	CAS-No.	Value type	Control parameters	Update	Basis
butane	106-97-8	AGW	1.000 ppm 2.400 mg/m ³	2006-01-01	DE TRGS 900
Further information:	DFG: Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).				
propane	74-98-6	AGW	1.000 ppm 1.800 mg/m ³	2006-01-01	DE TRGS 900
Further information:	DFG: Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).				

8.2 Exposure controls

Engineering measures

Handle only in a place equipped with local exhaust (or other appropriate exhaust).
Maintain air concentrations below occupational exposure standards.
Use only in an area equipped with explosion proof exhaust ventilation.
It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment.



OKS 391

Version 1.0

Revision Date 30.06.2016

Print Date 04.07.2016

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

none

Personal protective equipment

- Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Short term only
Filter type A-P
- Hand protection : Wear protective gloves.
The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.
The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.
In case of contact through splashing:

: Fluorinated rubber
Protective index Class 1
- Eye protection : Safety glasses with side-shields conforming to EN166
- Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.
- Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Environmental exposure controls

- General advice : Try to prevent the material from entering drains or water courses.
Prevent further leakage or spillage if safe to do so.
Local authorities should be advised if significant spillages cannot be contained.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Appearance : aerosol
- Colour : yellow
- Odour : hydrocarbon-like
- Odour Threshold : No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



OKS 391

Version 1.0

Revision Date 30.06.2016

Print Date 04.07.2016

pH	: No data available
Melting point/range	: No data available
Boiling point/boiling range	: No data available
Flash point	: -97,00 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol.
Lower explosion limit	: 0,6 %(V)
Upper explosion limit	: 8,5 %(V)
Vapour pressure	: <= 1.100 hPa, 20 °C
Relative vapour density	: No data available
Density	: No data available
Water solubility	: immiscible
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: No data available

9.2 Other information

Sublimation point	: No data available
Bulk density	: No data available

10. Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials



OKS 391

Version 1.0

Revision Date 30.06.2016

Print Date 04.07.2016

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition products : No decomposition if stored and applied as directed.

11. Toxicological information

11.1 Information on toxicological effects

Product

Acute oral toxicity : This information is not available.
Acute inhalation toxicity : Respiratory disorder, Inhalation may provoke the following symptoms:
Acute dermal toxicity : This information is not available.
Skin corrosion/irritation : This information is not available.
Serious eye damage/eye irritation : Contact with eyes may cause irritation.
Respiratory or skin sensitisation : This information is not available.
Germ cell mutagenicity
Genotoxicity in vitro : No data available
Genotoxicity in vivo : No data available
Carcinogenicity : No data available
Reproductive toxicity : No data available
Teratogenicity : No data available
Repeated dose toxicity : This information is not available.
Aspiration toxicity : This information is not available.

Further information : Information given is based on data on the components and the toxicology of similar products.

Components:

butane :
Serious eye damage/eye irritation : Contact with eyes may cause irritation.
Further information : Information given is based on data on the components and the toxicology of similar products.

12. Ecological information

12.1 Toxicity



OKS 391

Version 1.0

Revision Date 30.06.2016

Print Date 04.07.2016

Product:

Toxicity to fish	:	May cause long-term adverse effects in the aquatic environment.
Toxicity to daphnia and other aquatic invertebrates	:	No data available
Toxicity to algae	:	No data available
Toxicity to bacteria	:	No data available

12.2 Persistence and degradability

Product:

Biodegradability	:	No data available
Physico-chemical removability	:	No data available

12.3 Bioaccumulative potential

Product:

Bioaccumulation	:	This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT)., This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).
-----------------	---	--

12.4 Mobility in soil

Product:

Mobility	:	No data available
Distribution among environmental compartments	:	No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
------------	---	--

12.6 Other adverse effects

Product:

Additional ecological information	:	No information on ecology is available.
-----------------------------------	---	---

13. Disposal considerations

13.1 Waste treatment methods

Product	:	In accordance with local and national regulations.
	:	Waste codes should be assigned by the user based on the



OKS 391

Version 1.0

Revision Date 30.06.2016

Print Date 04.07.2016

application for which the product was used.

Contaminated packaging : Offer empty spray cans to an established disposal company.
Pressurized container: Do not pierce or burn, even after use.

14. Transport information

14.1 UN number

ADR : 1950
IMDG : 1950
IATA : 1950

14.2 Proper shipping name

ADR : AEROSOLS
IMDG : AEROSOLS
IATA : AEROSOLS, FLAMMABLE

14.3 Transport hazard class

ADR : 2
IMDG : 2.1
IATA : 2.1

14.4 Packing group

ADR :
Classification Code : 5F
Labels : 2.1
Tunnel restriction code : (D)
IMDG :
Labels : 2.1
EmS Number : F-D, S-U
IATA :
Packing instruction (cargo aircraft) : 203
Labels : 2.1

14.5 Environmental hazards

ADR :
Environmentally hazardous : no
IMDG :
Marine pollutant : no
IATA :
Environmentally hazardous : no

14.6 Special precautions for user

No special precautions required.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks : Not applicable for product as supplied.

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



OKS 391

Version 1.0

Revision Date 30.06.2016

Print Date 04.07.2016

mixture

- REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
- Major Accident Hazard Legislation : 96/82/EC Update:
Extremely flammable
8
Quantity 1: 10 t
Quantity 2: 50 t
- Water contaminating class (Germany) : WGK 1: slightly water endangering
- TA Luft List (Germany) : Total dust: Not applicable
Inorganic substances in powdered form: Not applicable
Inorganic substances in vapour or gaseous form: Not applicable
Organic Substances: Not applicable
Carcinogenic substances: portion Class 3: 61,39 %
Mutagenic: Not applicable
Toxic to reproduction: Not applicable

15.2 Chemical Safety Assessment

This information is not available.

16. Other information

Full text of R-phrases referred to under sections 2 and 3

- R12 Extremely flammable.
R38 Irritating to skin.
R65 Harmful: may cause lung damage if swallowed.

Full text of H-Statements referred to under sections 2 and 3.

- H220 Extremely flammable gas.
H222 Extremely flammable aerosol.
H229 Pressurised container: May burst if heated.
H280 Contains gas under pressure; may explode if heated.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.

Further information

This safety datasheet applies only to products originally packaged and labelled by OKS Spezialschmierstoffe. The information contained therein is protected by copyright and must not be reproduced or amended without the express written approval of OKS Spezialschmierstoffe. This document may be passed on only to the extent required by law. Any dissemination of our safety datasheets (e.g. as a document for download from the Internet) beyond this legally required extent is not permitted without express written consent. OKS Spezialschmierstoffe provides its customers with amended safety datasheets as prescribed by law. The customer is responsible for passing on safety datasheets and any amendments contained therein to its own customers, employees and other users of the

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



OKS 391

Version 1.0

Revision Date 30.06.2016

Print Date 04.07.2016

product. OKS Spezienschmierstoffe provides no guarantee that safety datasheets received by users from third parties are up-to-date. All information and instructions in this safety datasheets were compiled to the best of our knowledge and are based on the information available to us. The data provided are intended to describe the product in relation to the required safety measures; they are neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and do not justify any contractual legal relationships.