

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Schmutzjäger (9006H10+9006S5)

Revision date: 20.12.2023 Product code: 9006H10+9006S5 Page 1 of 18

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Schmutzjäger (9006H10+9006S5)

UFI: P5J3-J0AG-Y00K-H21N

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cleaning agent.

Uses advised against

none

1.3. Details of the supplier of the safety data sheet

Company name: WOCKEN Industriepartner GmbH & Co.KG

Street: Industriestr. 14
Place: D-49716 Meppen

Telephone: +49/(0)5931/801-0 Telefax: +49/(0)5931/801-90

E-mail: info@wocken.com

Contact person: Joachim Wolbers Telephone: +49/(0)5931/801-20

E-mail: jwolbers@wocken.com
Internet: www.wocken.com

Responsible Department: Sicherheitsdatenblätter. REACh

1.4. Emergency telephone Information Center against Poisoning (GIZ) Bonn, Phone: 0049/228/19240

<u>number:</u> (24-hour emergency call)

Further Information

Follow the instructions for use on the label. To avoid risks to man and the environment, comply with the instructions for use.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Corr. 1; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

Isotridecanol, ethoxylated Potassium hydroxide

Signal word: Danger

Pictograms:



Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Schmutzjäger (9006H10+9006S5)

Revision date: 20.12.2023 Product code: 9006H10+9006S5 Page 2 of 18

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container to a suitable recycling or disposal facility.

Additional advice on labelling

Classification according to Regulation (EC) No 1272/2008 [CLP] Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Pictograms:



Hazard statements

H314

Precautionary statements

P260-P280-P301+P330+P331-P303+P361+P353-P305+P351+P338-P310-P501

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

Special danger of slipping by leaking/spilling product.

Process vapors can irritate airways, skin and eyes. Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation).

Wear suitable protective clothing, gloves and eye/face protection.

Packaging supplied to the general public must be fitted with child-resistant closures and a tactile warning of danger in accordance with section 3.1.1 and section 3.2.1 of Part 3 of Annex II to Regulation (EC) No 1272/2008, irrespective of its capacity.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Aqueous solution of the listed substances with harmless admixtures.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Schmutzjäger (9006H10+9006S5)

Revision date: 20.12.2023 Product code: 9006H10+9006S5 Page 3 of 18

Relevant ingredients

CAS No	Chemical name			Quantity		
	EC No	Index No	REACH No			
	Classification (Regulation (EC) No 1272/2008)				
112-34-5	2-(2-butoxyethoxy)ethanol			1 - < 5 %		
	203-961-6	603-096-00-8	01-2119475104-44			
	Eye Irrit. 2; H319					
7320-34-5	Tetrapotassium pyrophosphat	e		1 - < 3 %		
	230-785-7		01-2119489369-18			
	Eye Irrit. 2; H319	•	•			
5131-66-8	3-butoxypropan-2-ol; propyler	e glycol monobutyl ether		1 - < 3 %		
	225-878-4		01-2119475527-28			
	Skin Irrit. 2, Eye Irrit. 2; H315	H319	•			
34590-94-8	(2-methoxymethylethoxy)prop	anol		1 - < 3 %		
	252-104-2		01-2119450011-60			
69011-36-5	Isotridecanol, ethoxylated			1 - < 3 %		
	931-138-8					
	Acute Tox. 4, Eye Dam. 1; H3	02 H318	•			
1310-58-3	Potassium hydroxide			0,5 - 2 %		
	215-181-3	019-002-00-8	01-2119487136-33			
	Met. Corr. 1, Acute Tox. 4, Skin Corr. 1A, Eye Dam. 1; H290 H302 H314 H318					

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity			
	-	Limits, M-factors and ATE				
112-34-5	203-961-6	2-(2-butoxyethoxy)ethanol	1 - < 5 %			
	dermal: LD50	= 4120 mg/kg; oral: LD50 = 5660 mg/kg				
7320-34-5	230-785-7	Tetrapotassium pyrophosphate	1 - < 3 %			
	inhalation: LC: 300 - < 2000 m	50 = > 1,1 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > ng/kg				
5131-66-8	225-878-4					
	dermal: LD50	= > 2000 mg/kg; oral: LD50 = 3300 mg/kg				
34590-94-8	252-104-2	(2-methoxymethylethoxy)propanol	1 - < 3 %			
	inhalation: LC	50 = 55 - 60 mg/l (dusts or mists); dermal: LD50 = 9510 mg/kg; oral: LD50 = >				
69011-36-5	931-138-8	Isotridecanol, ethoxylated	1 - < 3 %			
	dermal: LD50 Eye Irrit. 2; H3	= ca. 5960 mg/kg; oral: LD50 = > 10000 mg/kg				
1310-58-3	215-181-3	Potassium hydroxide	0,5 - 2 %			
	l l	00 mg/kg Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin = 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2				

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % phosphates, < 5 % non-ionic surfactants, < 5 % amphoteric surfactants, perfumes.

Further Information

Substances listed on the so-called "Candidate List of Substances of Very High Concern (SVHC)" of the European Chemicals Agency (ECHA) are not intentional components of this product. It is therefore not expected that SVHC substances are contained in the product in quantities > 0.1%.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Schmutzjäger (9006H10+9006S5)

Revision date: 20.12.2023 Product code: 9006H10+9006S5 Page 4 of 18

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! In all cases of doubt, or when symptoms persist, seek medical advice. Take off immediately all contaminated clothing and wash it before reuse. Remove persons to safety. Keep away from unprotected people. Keep upwind. Ventilate affected area.

After inhalation

In case of breathing difficulties administer oxygen. If victim is at risk of losing consciousness, position and transport on their side.

After contact with skin

Water. Take off immediately all contaminated clothing and wash it before reuse. Wash thoroughly the body (shower or bath). In case of skin irritation, consult a physician.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eyelids open. Protect the injured eye. Rinse also under the lid of the eyelid. Consult a doctor immediately. / Consult an ophthalmologist. (Special treatment) / If possible, visit an eye clinic. Do not leave affected person unattended.

After ingestion

Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person or a person with cramps. Do NOT induce vomiting. Do not leave affected person unattended. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Causes burns. Risk of serious damage to eyes. If swallowed, strong caustic effect on mouth and throat and risk of perforation of the esophagus and stomach.

4.3. Indication of any immediate medical attention and special treatment needed

Cleaning agent, alkaline. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure. Symptoms of poisoning may develop several hours following exposure. Victim should be under medical observation for at least 48 hours after exposure. First Aid, decontamination, treatment of symptoms. After decontamination of the skin pain treatment and shock prophylaxis.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. Foam. Water spray jet.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Heating causes rise in pressure with risk of bursting. Thermal decomposition can lead to the escape of irritating gases and vapors. In case of fire and/or explosion do not breathe fumes.

In case of fire may be liberated: carbon monoxide (CO). Carbon dioxide (CO2). Organic cracking products.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Wear full chemical protective clothing. The product itself does not burn.

Additional information

Contaminated fire-fighting water must be collected separately. Dispose of fire residues and extinguishing water in accordance with official regulations. Co-ordinate fire-fighting measures to the fire surroundings.

Use water spray jet to protect personnel and to cool endangered containers.

Move undamaged containers from immediate hazard area if it can be done safely.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Schmutzjäger (9006H10+9006S5)

Revision date: 20.12.2023 Product code: 9006H10+9006S5 Page 5 of 18

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Wear personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes, clothing. Do not breathe mist/vapours/spray.

For non-emergency personnel

Remove persons to safety. Keep away from unprotected people. Keep upwind.

For emergency responders

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains. Make sure spills can be contained, e.g. in sump pallets or kerbed areas.

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Take up mechanically, placing in appropriate containers for disposal.

Clean contaminated articles and floor according to the environmental legislation. Wash with plenty of water.

Other information

Ventilate affected area.

6.4. Reference to other sections

Treat the recovered material as prescribed in the section on waste disposal. Disposal: see section 13. Safe handling: see section 7. Personal protection equipment: see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

All work processes must always be designed so that the following is excluded: skin contact. Eye contact. inhalation. Keep only in the original container. Do not breathe gas/fumes/vapour/spray. Use only in well-ventilated areas. The usual protective activities for handling chemicals should be noted.

Advice on protection against fire and explosion

Usual measures for fire prevention. The product is not: Combustible. The product develops hydrogen in an aqueous solution in contact with metals.

Advice on general occupational hygiene

Wash hands before breaks and after work. Restore grease film of the skin after cleansing by using a fat cream to prevent dermatitis. Do not eat, drink, smoke or sneeze at the workplace. Wear personal protection equipment. Work in well-ventilated zones or use proper respiratory protection. Avoid contact with skin and eyes.

Further information on handling

Store only in original container. During dilution or dissolving in water, strong heating-up always takes place. When diluting/dissolving, always have the water ready first, then slowly stir in the product. Heating causes rise in pressure with risk of bursting.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep locked up and out of the reach of children. Keep only in the original container in a cool, well-ventilated place. The floor should be leak tight, jointless and not absorbent.

Suitable floor material: Alkali-resistant.

Alkalis (alkalis). Corrosive to metals.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Schmutzjäger (9006H10+9006S5)

Revision date: 20.12.2023 Product code: 9006H10+9006S5 Page 6 of 18

Suitable material for Container: PE, PP, Glass.

storage temperature: > 0 - < 40 °C

Hints on joint storage

Materials to avoid: Acid. Aluminium. Oxidising agent. Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

Protect against: heat. UV-radiation/sunlight. frost.

7.3. Specific end use(s)

Stripper, corrosive, solvent-free. Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

CAS No	Name of agent	ppm	mg/m³	fib/cm³	Category	Origin
34590-94-8	(2-Methoxymethylethoxy)propanol	50	308		TWA (8 h)	
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	
		15	101.2		STEL (15 min)	



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Schmutzjäger (9006H10+9006S5)

Revision date: 20.12.2023 Product code: 9006H10+9006S5 Page 7 of 18

DNEL/DMEL values

CAS No Name of agent			
DNEL type	Exposure route	Effect	Value
112-34-5 2-(2-butoxyethoxy)ethanol			
Worker DNEL, long-term	inhalation	systemic	67,5 mg/m³
Worker DNEL, long-term	inhalation	local	67,5 mg/m³
Worker DNEL, acute	inhalation	local	101,2 mg/m³
Worker DNEL, long-term	dermal	systemic	83 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	40,5 mg/m³
Consumer DNEL, long-term	inhalation	local	40,5 mg/m³
Consumer DNEL, acute	inhalation	local	60,7 mg/m³
Consumer DNEL, long-term	dermal	systemic	50 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	5 mg/kg bw/day
7320-34-5 Tetrapotassium pyrophosphate			
Worker DNEL, long-term	inhalation	systemic	17,63 mg/m³
Consumer DNEL, long-term	inhalation	systemic	4,35 mg/m³
5131-66-8 3-butoxypropan-2-ol; propylene glycol monobutyl ether			
Worker DNEL, long-term	inhalation	systemic	147 mg/m³
Worker DNEL, long-term	dermal	systemic	52 mg/kg bw/day
Worker DNEL, long-term	dermal	local	50 %
Worker DNEL, acute	dermal	local	50 %
Consumer DNEL, long-term	inhalation	systemic	43 mg/m³
Consumer DNEL, long-term	dermal	systemic	22 mg/kg bw/day
Consumer DNEL, long-term	dermal	local	50 %
Consumer DNEL, acute	dermal	local	50 %
Consumer DNEL, long-term	oral	systemic	12,5 mg/kg bw/day
34590-94-8 (2-methoxymethylethoxy)propanol			
Worker DNEL, long-term	inhalation	systemic	308 mg/m³
Worker DNEL, long-term	dermal	systemic	283 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	37,2 mg/m³
Consumer DNEL, long-term	dermal	systemic	121 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	36 mg/kg bw/day
69011-36-5 Isotridecanol, ethoxylated			
Worker DNEL, long-term	inhalation	systemic	37 mg/m³
Worker DNEL, long-term	dermal	systemic	263 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	6,53 mg/m³
Consumer DNEL, long-term	dermal	systemic	93,8 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	2,5 mg/kg bw/day
1310-58-3 Potassium hydroxide			
Worker DNEL, long-term	inhalation	local	1 mg/m³
Consumer DNEL, long-term	inhalation	local	1 mg/m³



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Schmutzjäger (9006H10+9006S5)

Revision date: 20.12.2023 Product code: 9006H10+9006S5 Page 8 of 18

PNEC values

CAS No	Name of agent	
Environment	tal compartment	Value
112-34-5	2-(2-butoxyethoxy)ethanol	
Freshwater		1,1 mg/l
Freshwater (11 mg/l	
Marine wate	ır	0,11 mg/l
Freshwater	sediment	4,4 mg/kg
Marine sedir	ment	0,44 mg/kg
Secondary p	poisoning	56 mg/kg
Micro-organi	isms in sewage treatment plants (STP)	200 mg/l
Soil		0,32 mg/kg
5131-66-8	3-butoxypropan-2-ol; propylene glycol monobutyl ether	
Freshwater		0,525 mg/l
Freshwater ((intermittent releases)	5,25 mg/l
Marine wate	ır	0,052 mg/l
Freshwater	sediment	2,36 mg/kg
Marine sedir	ment	0,236 mg/kg
Micro-organi	isms in sewage treatment plants (STP)	10 mg/l
Soil		0,16 mg/kg
34590-94-8	(2-methoxymethylethoxy)propanol	
Freshwater		19 mg/l
Freshwater ((intermittent releases)	190 mg/l
Marine wate	r	1,9 mg/l
Freshwater	sediment	70,2 mg/kg
Marine sedir	ment	7,02 mg/kg
Micro-organi	isms in sewage treatment plants (STP)	4168 mg/l
Soil		2,74 mg/kg
69011-36-5	Isotridecanol, ethoxylated	
Freshwater		0,00436 mg/l
Freshwater ((intermittent releases)	0,00544 mg/l
Marine wate	er	0,000436 mg/l
Freshwater	sediment	0,119 mg/kg
Marine sedir	ment	0,012 mg/kg
Micro-organi	isms in sewage treatment plants (STP)	4,35 mg/l
Soil		0,021 mg/kg

Additional advice on limit values

Maximum Occupational Exposure Limits (MELVs) are considered to be safe exposure limits for a worker during an 8-hour shift (40-h week) as a time-weighted average value (TWA) or a 15-minute short-term exposure limit value (STEL).

Y: A risk of reproductive effects needs not to be feared if the occupational exposure limit value (AGW) and the biological limit value (BGW) is kept

8.2. Exposure controls



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Schmutzjäger (9006H10+9006S5)

Revision date: 20.12.2023 Product code: 9006H10+9006S5 Page 9 of 18













Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations. Provide earthing of containers, equipment, pumps and ventilation facilities. Have eye showers and safety shower ready.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: Tightly sealed safety glasses. / Eye-shade. German Industry Norms (DIN) / European Norms (EN): EN 165, EN 166

Hand protection

Protect skin by using skin protective cream.

Tested protective gloves are to be worn: EN ISO 374

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Hand protection: Butyl rubber. NBR (Nitrile rubber). Neoprene rubber. CR (polychloroprenes, Chloroprene rubber).

Thickness of glove material: >= 0,5 mm

penetration time (maximum wearing period): 480 min

The most suitable glove should be chosen in consultation with the glove supplier / manufacturer who can provide information on the breakthrough time of the glove material. Breakthrough times and swelling properties of the material must be taken into consideration. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

For the protection against direct skin contact, body protective clothing is essential (in addition to the usual working clothes). EN 13034/6

Suitable protective clothing: Apron. Boots. Required properties: liquid proof. leachate-proof.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. EN 14387, Combination filtering device: A P2, Colour: brown white

Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

Thermal hazards

Closed containers may burst when pressure and temperature rise

Environmental exposure controls

Leakage into the environment must be prevented. Do not allow uncontrolled leakage of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: dark red
Odour: fruity

Odour threshold: not determined

Test method

Print date: 18.03.2024

Melting point/freezing point: ca. - 5 $^{\circ}$ C Boiling point or initial boiling point and ca. 100 $^{\circ}$ C

boiling range:

Flammability: not applicable non-flammable



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Schmutzjäger (9006H10+9006S5)

Revision date: 20.12.2023 Product code: 9006H10+9006S5 Page 10 of 18

Lower explosion limits:

Upper explosion limits:

not applicable

Flash point:

Auto-ignition temperature:

not applicable

not applicable

not applicable

not applicable

pH-Value (at 20 °C): 12.6 DIN 19268

Viscosity / kinematic: not determined Water solubility: completely miscible

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

not determined
not determined
not determined

Density (at 20 °C): 1,024 g/cm³ ISO 387

Relative vapour density: not determined Particle characteristics: not relevant

9.2. Other information

Information with regard to physical hazard classes

Explosive properties not Explosive.
Self-ignition temperature

Solid: not determined Gas: not determined

Oxidizing properties not oxidizing.

Other safety characteristics

Evaporation rate: not determined Viscosity / dynamic: ca. 50 mPa·s (at 20 °C)

Further Information

Corrosive to metals.

Corrosive to metals.

SECTION 10: Stability and reactivity

10.1. Reactivity

This material is considered to be non-reactive under normal use conditions.

Corrosive to metals.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Exothermic reactions with: Strong acid.

10.4. Conditions to avoid

heat. UV-radiation/sunlight. frost.

In case of exceeding the storage temperature: >40 °C Danger of bursting container.

10.5. Incompatible materials

Exothermic reactions with: Acid. Aluminium.

10.6. Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapors. In case of fire and/or explosion do not breathe fumes.

In case of fire may be liberated: carbon monoxide (CO). Carbon dioxide (CO2). Organic cracking products.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Schmutzjäger (9006H10+9006S5)

Revision date: 20.12.2023 Product code: 9006H10+9006S5 Page 11 of 18

Further information

Exothermic reactions with: Strong acid.

In case of exceeding the storage temperature: >40 °C Danger of bursting container.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) 11494 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
112-34-5	2-(2-butoxyethoxy)eth	anol						
	oral	LD50 mg/kg	5660	Rat				
	dermal	LD50 mg/kg	4120	Rabbit				
7320-34-5	Tetrapotassium pyrop	hosphate						
	oral	LD50 2000 mg/k	> 300 - <	Rat	Study report (2010)	OECD Guideline 420		
	dermal	LD50 mg/kg	> 2000	Rabbit	Study report (1988)	other: FMC Non-Definitive Dermal Toxicit		
	inhalation (4 h) dust/mist	LC50 mg/l	> 1,1	Rat	Study report (1993)	other: FMC Acute Inhalation Toxicity Pro		
5131-66-8	3-butoxypropan-2-ol; propylene glycol monobutyl ether							
	oral	LD50 mg/kg	3300	Rat	Study report (1987)	OECD Guideline 401		
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1987)	OECD Guideline 402		
34590-94-8	(2-methoxymethyletho	xy)propanol						
	oral	LD50 mg/kg	> 5000	Rat	Study report (1979)	OECD Guideline 401		
	dermal	LD50 mg/kg	9510	Rabbit	Published in Am Ind Hyg Assoc J. 23: 95-	OECD Guideline 402		
	inhalation (4 h) dust/mist	LC50 mg/l	55 - 60	Rat (Rattus).				
69011-36-5	Isotridecanol, ethoxyla	nted						
	oral	LD50 mg/kg	> 10000	Rat	Study report (1986)	OECD Guideline 401		
	dermal	LD50 mg/kg	ca. 5960	Rabbit	Am. Ind. Hyg. Assoc. J.: 23(4), 95-107 (The LD50 was determined by a method clos		
1310-58-3	Potassium hydroxide							
	oral	ATE mg/kg	500					



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Schmutzjäger (9006H10+9006S5)

Revision date: 20.12.2023 Product code: 9006H10+9006S5 Page 12 of 18

Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage. (On basis of test data) Serious eye damage/eye irritation: Causes serious eye damage. (On basis of test data)

Corrosion: Classification is based on the pH value.

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation).

Sensitising effects

Based on available data, the classification criteria are not met.

No sensitizing effect known.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

According to the current state of knowledge, no CMR effects known. The product contains no substances classified as CMR.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

oral, dermal, inhalative, eye contact

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

Leakage into the environment must be prevented.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Schmutzjäger (9006H10+9006S5)

Revision date: 20.12.2023 Product code: 9006H10+9006S5 Page 13 of 18

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
112-34-5	2-(2-butoxyethoxy)ethano			1			
	Acute algae toxicity	ErC50 mg/l	> 100		Scenedesmus sp.		
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna		
7320-34-5	Tetrapotassium pyrophos	phate					
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Oncorhynchus mykiss	REACh Registration Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus	REACh Registration Dossier	EU Method C.3
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	REACh Registration Dossier	EPA OTS 797.1300
	Acute bacteria toxicity	EC50 mg/l ()	> 1000	3 h	activated sludge of a predominantly domestic sewag	REACh Registration Dossier	OECD Guideline 209
5131-66-8	3-butoxypropan-2-ol; prop	ylene glycol	monobutyl e	ether			
	Acute fish toxicity	LC50 1000 mg/l	> 560 - <	96 h	Poecilia reticulata	Study report (1987)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 1000	96 h	Raphidocelis subcapitata	Study report (1987)	Method: other: No specific guidance cite
	Acute crustacea toxicity	EC50 mg/l	> 1000	48 h	Daphnia magna	Study report (1987)	OECD Guideline 202
	Acute bacteria toxicity	EC50 mg/l ()	> 1000	3 h	activated sludge of a predominantly domestic sewag	Study report (2009)	OECD Guideline 209
34590-94-8	(2-methoxymethylethoxy)	propanol					
	Acute fish toxicity	LC50 mg/l	> 1000	96 h	Poecilia reticulata	Study report (1990)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 969	72 h	Raphidocelis subcapitata	Study report (2001)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	1919	48 h	Daphnia magna	Study report (1979)	OECD Guideline 202
	Algae toxicity	NOEC mg/l	> 1000	4 d	Pseudokirchneriella subcapitata (green algae)	ECHA	OECD 201
	Crustacea toxicity	NOEC mg/l	>= 0,5	22 d	Daphnia magna	Study report (1995)	OECD Guideline 211
69011-36-5	Isotridecanol, ethoxylated						
	Acute fish toxicity	LL50 mg/l	> 1,5	96 h	Danio rerio	REACh Registration Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50	3,4 mg/l	72 h	Desmodesmus subspicatus	REACh Registration Dossier	EU Method C.3
	Acute crustacea toxicity	EL50 mg/l	0,64	48 h	Daphnia magna	REACh Registration Dossier	OECD Guideline 202



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Revision date: 20.12.2023	S		ger (9006H10+9006S5) code: 9006H10+9006S5		Page 14	of 18
Algae toxicity	NOEC mg/l	> 1 - 10	3 d Desmodesmus subspicatus (Grünalge)	SDS	OECD 201	
Crustacea tox	NOEC mg/l	0,218	21 d Daphnia magna	REACh Registration Dossier	OECD Guideline 211	
Acute bacteria	a toxicity EC50	140 mg/l	3 h activated sludge of a predominantly domestic sewag	Study report (1997)	other: EG guideline 88/302/EG, adopted 1	

12.2. Persistence and degradability

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The methods for determining the biological degradability are not applicable to inorganic substances.

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation			•			
5131-66-8	3-butoxypropan-2-ol; propylene glycol monobutyl ether						
	OECD 301E	90 %	28	Study report (1993)			
	Readily biodegradable (according to OECD criteria).						
34590-94-8	(2-methoxymethylethoxy)propanol						
	OECD 301F	75 %	10	ECHA			
	Readily biodegradable (according to OECD criteria).						
	OECD 301F	79 %	28	ECHA			
	Readily biodegradable (according to OECD criteria).						
69011-36-5	Isotridecanol, ethoxylated						
	OECD 301B	> 60 %	28	SDS			
	Leicht biologisch abbaubar (nach OECD-Kriterien).						
	OECD 311	> 60 %	60	SDS			
	Biologisch abbaubar.						

12.3. Bioaccumulative potential

No data available

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
112-34-5	2-(2-butoxyethoxy)ethanol	0,56 (25°C)
5131-66-8	3-butoxypropan-2-ol; propylene glycol monobutyl ether	1,2
34590-94-8	(2-methoxymethylethoxy)propanol	0,004
69011-36-5	Isotridecanol, ethoxylated	6,4

BCF

CAS No	Chemical name	BCF	Species	Source
69011-36-5	Isotridecanol, ethoxylated	12,7	Pimephales promelas	REACh Registration D

12.4. Mobility in soil

No further relevant information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Schmutzjäger (9006H10+9006S5)

Revision date: 20.12.2023 Product code: 9006H10+9006S5 Page 15 of 18

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

The product leads to changes in the pH value of the test system. The result refers to an unneutralised sample. Adverse effects on aquatic organisms due to pH shift.

Further information

due to the alkaline character of the product, usually, it has to be neutralized before contaminated effluents are introduced into the waste water treatment system. Product may not be released into water without pre-treatment.

slightly hazardous to water (WGK 1)

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Consult the appropriate authorities about waste disposal. Dispose of waste according to applicable legislation. Small amounts: Dilute added to the wastewater. Recommendation: Agree on the exact waste code with the disposal company.

List of Wastes Code - residues/unused products

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND

INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

List of Wastes Code - used product

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND

INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); plastic packaging

Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Packing which cannot be properly cleaned must be disposed of. Clean with: Rinse with plenty of water.

Cleaned containers may be recycled. Recycle sales packaging via DSD (Duales System Deutschland).

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 1814

14.2. UN proper shipping name: POTASSIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Classification code: C5
Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 80
Tunnel restriction code: E



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Schmutzjäger (9006H10+9006S5)

Revision date: 20.12.2023 Product code: 9006H10+9006S5 Page 16 of 18

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1814

14.2. UN proper shipping name: POTASSIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Classification code: C5
Limited quantity: 5 L
Excepted quantity: E1

Marine transport (IMDG)

14.1. UN number or ID number: UN 1814

14.2. UN proper shipping name: POTASSIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Marine pollutant:
Special Provisions:
Limited quantity:
Excepted quantity:
EmS:
F-A, S-B
Segregation group:

Nein
223

5 L
Et
EnS
5 L
Excepted quantity:
E1
EnS:
F-A, S-B
Segregation group:
18 - alkalis

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1814

14.2. UN proper shipping name: POTASSIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A3 A803

1 L

Y841

Excepted quantity:

E1

IATA-packing instructions - Passenger:852IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:856IATA-max. quantity - Cargo:60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Stripper, corrosive, solvent-free. Wear personal protection equipment.

14.7. Maritime transport in bulk according to IMO instruments

No transport as bulk according to IBC Code.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Schmutzjäger (9006H10+9006S5)

Revision date: 20.12.2023 Product code: 9006H10+9006S5 Page 17 of 18

Other applicable information

Transport as "limited quantity" according to chapter 3.4 ADR/RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 3, Entry 40, Entry 55, Entry 75

Directive 2010/75/EU on industrial 8,1 %

emissions:

Information according to Directive

Not subject to 2012/18/EU (SEVESO III)

2012/18/EU (SEVESO III):

Additional information

REACH Regulation (EC) No 1907/2006, as last amended by Commission Regulation (EU) 2022/586

CLP Regulation (EC) No 1272/2008, as last amended by Regulation (EU) 2021/1962. The product meets the criteria laid down in the EC Detergents Regulation 648/2004.

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,8,9,11,15.

Abbreviations and acronyms

Met. Corr: Substance or mixture corrosive to metals

Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage Eye Irrit: Eye irritation

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

ADR: Accord européen sur le transport des marchandises dangereuses par Route (Europäisches Übereinkommen über die internationale Beförderung gefährlicher Güter auf der Straße) IMDG: International Maritime Code for Dangerous Goods (Internationaler Seeschifffahrtscode für gefährliche Güter) IATA: International Air Transport Association (Internationaler Luftverkehrsverband) GHS: Global harmonisiertes System zur Einstufung und Kennzeichnung von Chemikalien EINECS: Europäisches Verzeichnis der auf dem Markt vorhandenen chemischen Stoffe ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Tödliche Konzentration, 50% LD50: Tödliche Dosis, 50%

Key literature references and sources for data

Information from our suppliers as well as data from the "Database of registered substances" of the European Chemicals Agency (ECHA) were used for the preparation of this safety data sheet. Other sources:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidance on the compilation of safety data sheets as amended (ECHA).

Guidance on labelling and packaging under Regulation (EC) No 1272/2008 (CLP) as amended (ECHA).

Safety data sheets of the ingredients.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Schmutzjäger (9006H10+9006S5)

Revision date: 20.12.2023 Product code: 9006H10+9006S5 Page 18 of 18

ECHA homepage - Information on chemicals.

GESTIS substance database (Germany).

Federal Environment Agency "Rigoletto" - Information page on water-polluting substances (Germany). EU occupational exposure limit values Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU)

2017/164, (EU) 2019/1831 as amended.

National occupational exposure limit value lists of the respective countries in the respective valid version. Regulations on the transport of dangerous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.

H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. This information is intended to give you indications for the safe handling of the product mentioned in this safety data sheet during storage, processing, transport and disposal. The details are not transferable to other products. Insofar as the product is mixed with other materials, mixed or processed, or subjected to processing, the information in this safety data sheet, unless expressly stated otherwise, can not be transferred to the new material produced in this way.

Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	Gewerbliche Verwendung	-	8, 17	35	7, 8a, 8b, 10, 11, 13,	-	-	-	Reiniger
	von Allzweckoberflächenreinig				10, 11, 13,				
	ungsmitteln								

LCS: Life cycle stages

PC: Product categories

ERC: Environmental release categories

SU: Sectors of use

PROC: Process categories

AC: Article categories

TF: Technical functions

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)